WETLAND DETERMINATION DATA FORM - Alaska Region

	t/Site: Susitna-Watana Hydroelectric Project	В	orougn/City:	Matanusk	ca-Susitna Borough Sampling Date: 04-Aug-13	
Applic	ant/Owner: Alaska Energy Authority				Sampling Point: SW13_T133_05	
	igator(s): WAD, RWM		Landform (hillside, terrace, hummocks etc.): depression			
Local	relief (concave, convex, none): concave				° Elevation: 752	
Subre	gion : Interior Alaska Mountains	Lat.: (62.914799571		Long.: -148.072745085 Datum: WGS84	
	ap Unit Name:	_	00		NWI classification: PSS1/EM1B	
	matic/hydrologic conditions on the site typical for this ti	me of vear	2 Yes	● Nn ○	(If no, explain in Remarks.)	
			disturbed?		Iormal Circumstances" present? Yes No	
			oblematic?		eded, explain any answers in Remarks.)	
	•					
SUIVI	MARY OF FINDINGS - Attach site map show		ipiirig poirit	locations	s, transects, important reatures, etc.	
	Hydrophytic Vegetation Present? Yes No No		ls	the Sam	pled Area	
	Hydric Soil Present? Yes No C			thin a W		
	Wetland Hydrology Present? Yes No C)				
Ren	narks: low open willow swamp.					
/FGI	ETATION - Use scientific names of plants. Li	ct all cna	cias in tha	nlot		
LO	ETATION - Ose scientific flames of plants. Li	st all spe	cies iii tiie	piot.	Dominance Test worksheet:	
T	a Churchura	Absolute % Cover	Dominant Species?	Indicator Status	Number of Dominant Species	
1.	ee Stratum	0		Status	That are OBL, FACW, or FAC: 3 (A)	
2.					Total Number of Dominant	
3.					Species Across All Strata: 3 (B)	
4.		0			Percent of dominant Species That Are OBL, FACW, or FAC: 100.0% (A/B)	
5.		0			Prevalence Index worksheet:	
					Prevalence Index worksneet:	
	Total Cover				Total % Cover of: Multiply by:	
Sa _l	Total Cover: 50% of Total Cover:		of Total Cover:	0	Total % Cover of: Multiply by: OBL Species 60 x 1 = 60	
	oling/Shrub Stratum 50% of Total Cover:	0 20%			OBL Species <u>60</u> x 1 = <u>60</u>	
1.	Salix pulchra Vaccinium uliginosum	0 20% 65	of Total Cover:	0 _FACW _FAC	OBL Species <u>60</u> x 1 = <u>60</u>	
1.	Salix pulchra Vaccinium uliginosum	0 20% 65 5		FACW	OBL Species 60 x 1 = 60 FACW Species 65 x 2 = 130	
1.	Salix pulchra Vaccinium uliginosum	0 20% 65 5 0		FACW	OBL Species 60 x 1 = 60 FACW Species 65 x 2 = 130 FAC Species 8 x 3 = 24	
1. 2. 3.	Salix pulchra Vaccinium uliginosum	0 20% 65 5 0 0		FACW	OBL Species 60 x 1 = 60 FACW Species 65 x 2 = 130 FAC Species 8 x 3 = 24 FACU Species 0 x 4 = 0 UPL Species 0 x 5 = 0	
1. 2. 3. 4.	Salix pulchra Vaccinium uliginosum	0 20% 65 5 0 0 0		FACW	OBL Species 60 x 1 = 60 FACW Species 65 x 2 = 130 FAC Species 8 x 3 = 24 FACU Species 0 x 4 = 0 UPL Species 0 x 5 = 0 Column Totals: 133 (A) 214 (B)	
1. 2. 3. 4. 5.	Salix pulchra Vaccinium uliginosum	0 20% 65 5 0 0 0 0		FACW	OBL Species 60 x 1 = 60 FACW Species 65 x 2 = 130 FAC Species 8 x 3 = 24 FACU Species 0 x 4 = 0 UPL Species 0 x 5 = 0	
1. 2. 3. 4. 5. 6.	Salix pulchra Vaccinium uliginosum	0 20% 65 5 0 0 0 0		FACW	OBL Species 60 x 1 = 60 FACW Species 65 x 2 = 130 FAC Species 8 x 3 = 24 FACU Species 0 x 4 = 0 UPL Species 0 x 5 = 0 Column Totals: 133 (A) 214 (B) Prevalence Index = B/A = 1.609	
1. 2. 3. 4. 5. 6. 7.	Salix pulchra Vaccinium uliginosum	0 20% 65 5 0 0 0 0 0 0 0 0		FACW	OBL Species 60 x 1 = 60 FACW Species 65 x 2 = 130 FAC Species 8 x 3 = 24 FACU Species 0 x 4 = 0 UPL Species 0 x 5 = 0 Column Totals: 133 (A) 214 (B) Prevalence Index = B/A = 1.609 Hydrophytic Vegetation Indicators: ✓ Dominance Test is > 50%	
1. 2. 3. 4. 5. 6. 7. 8.	Salix pulchra Vaccinium uliginosum	0 20% 65 5 0 0 0 0 0 0 0 0 0		FACW	OBL Species 60 x 1 = 60 FACW Species 65 x 2 = 130 FAC Species 8 x 3 = 24 FACU Species 0 x 4 = 0 UPL Species 0 x 5 = 0 Column Totals: 133 (A) 214 (B) Prevalence Index = B/A = 1.609	
1. 2. 3. 4. 5. 6. 7. 8. 9. 10.	Salix pulchra Vaccinium uliginosum Total Cover	0 20% 65 5 0 0 0 0 0 0 0 0 0 70		FAC	OBL Species 60 $\times 1 = 60$ FACW Species 65 $\times 2 = 130$ FAC Species 8 $\times 3 = 24$ FACU Species 0 $\times 4 = 0$ UPL Species 0 $\times 5 = 0$ Column Totals: 133 (A) 214 (B) Prevalence Index = B/A = 1.609 Hydrophytic Vegetation Indicators: Dominance Test is > 50% Prevalence Index is ≤ 3.0 Morphological Adaptations 1 (Provide supporting data in	
1. 2. 3. 4. 5. 6. 7. 8. 9. 10. He	Salix pulchra Vaccinium uliginosum Total Cover: Total Cover: 50% of Total Cover: 50% of Total Cover:	0 20% 65 5 0 0 0 0 0 0 0 0 0 0 35 20%	of Total Cover	FACW FAC	OBL Species 60 \times 1 = 60 \times 5 = 130 \times 5 = 130 \times 5 = 130 \times 5 = 0 \times 5 = 0 \times 65 \times 65 \times 7 = 130 \times 8 = 130 \times 9 = 130 \times 8 = 130 \times 9	
1. 2. 3. 4. 5. 6. 7. 8. 9. 10. He	Salix pulchra Vaccinium uliginosum Total Cover: So% of Total Cover: Carex aquatilis	0 20% 65 5 0 0 0 0 0 0 0 0 0 35 20%	✓ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	FACW FAC	OBL Species 60 $\times 1 = 60$ FACW Species 65 $\times 2 = 130$ FAC Species 8 $\times 3 = 24$ FACU Species 0 $\times 4 = 0$ UPL Species 0 $\times 5 = 0$ Column Totals: 133 (A) 214 (B) Prevalence Index = B/A = 1.609 Hydrophytic Vegetation Indicators: Dominance Test is > 50% Prevalence Index is ≤ 3.0 Morphological Adaptations 1 (Provide supporting data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation 1 (Explain)	
1. 2. 3. 4. 5. 6. 7. 8. 9. 10. Hee 1. 2.	Salix pulchra Vaccinium uliginosum Total Cover: 50% of Total Cover: Carex aquatilis Comarum palustre	0 20% 65 5 0 0 0 0 0 0 0 0 35 20%	of Total Cover	FACW FAC	OBL Species 60 \times 1 = 60 \times 5 = 130 \times 5 = 130 \times 5 = 130 \times 5 = 0 \times 5 = 0 \times 65 \times 65 \times 7 = 130 \times 8 = 130 \times 9 = 130 \times 8 = 130 \times 9	
1. 2. 3. 4. 5. 6. 7. 8. 9. 10. Hee 1. 2. 3.	Salix pulchra Vaccinium uliginosum Total Cover: Stratum Carex aquatilis Comarum palustre Calamagrostis canadensis	0 20% 65 5 0 0 0 0 0 0 0 0 0 35 20%	✓ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	FACW FAC	OBL Species 60 x 1 = 60 FACW Species 65 x 2 = 130 FAC Species 8 x 3 = 24 FACU Species 0 x 4 = 0 UPL Species 0 x 5 = 0 Column Totals: 133 (A) 214 (B) Prevalence Index = B/A = 1.609 Hydrophytic Vegetation Indicators: ✓ Dominance Test is > 50% ✓ Prevalence Index is ≤3.0	
1. 2. 3. 4. 5. 6. 7. 8. 9. 10. Hee 1. 2. 3. 4.	Salix pulchra Vaccinium uliginosum Total Cover: 50% of Total Cover: 50% of Total Cover: Carex aquatilis Comarum palustre Calamagrostis canadensis	0 20% 65 5 0 0 0 0 0 0 0 0 0 35 20% 35 25 3 0	✓ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	FACW FAC	OBL Species 60 x 1 = 60 FACW Species 65 x 2 = 130 FAC Species 8 x 3 = 24 FACU Species 0 x 4 = 0 UPL Species 0 x 5 = 0 Column Totals: 133 (A) 214 (B) Prevalence Index = B/A = 1.609 Hydrophytic Vegetation Indicators: ✓ Dominance Test is > 50% ✓ Prevalence Index is ≤ 3.0 \square Morphological Adaptations 1 (Provide supporting data in Remarks or on a separate sheet) \square Problematic Hydrophytic Vegetation 1 (Explain) 1 Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.	
1. 2. 3. 4. 5. 6. 7. 8. 9. 10. Hee 1. 2. 3. 4. 5.	Salix pulchra Vaccinium uliginosum Total Cover: Solix pulchra Vaccinium uliginosum Total Cover: Solix pulchra Vaccinium uliginosum Total Cover: Solix pulchra Total Cover: Solix pulchra Total Cover: Solix pulchra Total Cover: Carex aquatilis Comarum palustre Calamagrostis canadensis	0 20% 65 5 0 0 0 0 0 0 0 0 0 35 20% 35 25 3 0 0	✓ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	FACW FAC	OBL Species 60 x 1 = 60 FACW Species 65 x 2 = 130 FAC Species 8 x 3 = 24 FACU Species 0 x 4 = 0 UPL Species 0 x 5 = 0 Column Totals: 133 (A) 214 (B) Prevalence Index = B/A = 1.609 Hydrophytic Vegetation Indicators: ✓ Dominance Test is > 50% ✓ Prevalence Index is ≤ 3.0 Morphological Adaptations 1 (Provide supporting data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation 1 (Explain) 1 Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. Plot size (radius, or length x width) 10m % Cover of Wetland Bryophytes	
1. 2. 3. 4. 5. 6. 7. 8. 9. 10. Hee 1. 2. 3. 4. 5. 6. 6. 6.	Salix pulchra Vaccinium uliginosum Total Cover: So% of Total Cover: Carex aquatilis Comarum palustre Calamagrostis canadensis	0 20% 65 5 0 0 0 0 0 0 0 0 0 35 20% 35 25 3 0 0 0	✓ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	FACW FAC	OBL Species 60 x 1 = 60 FACW Species 65 x 2 = 130 FAC Species 8 x 3 = 24 FACU Species 0 x 4 = 0 UPL Species 0 x 5 = 0 Column Totals: 133 (A) 214 (B) Prevalence Index = B/A = 1.609 Hydrophytic Vegetation Indicators: ✓ Dominance Test is > 50% ✓ Prevalence Index is ≤ 3.0 \square Morphological Adaptations 1 (Provide supporting data in Remarks or on a separate sheet) \square Problematic Hydrophytic Vegetation 1 (Explain) 1 Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic.	
1. 2. 3. 4. 5. 6. 7. 8. 9. 10. Hee 1. 2. 3. 4. 5. 6. 7. 7.	Salix pulchra Vaccinium uliginosum Total Cover: So% of Total Cover: Carex aquatilis Comarum palustre Calamagrostis canadensis	0 20% 65 5 0 0 0 0 0 0 0 0 0 35 25 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	✓ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	FACW FAC	OBL Species 60 x 1 = 60 FACW Species 65 x 2 = 130 FAC Species 8 x 3 = 24 FACU Species 0 x 4 = 0 UPL Species 0 x 5 = 0 Column Totals: 133 (A) 214 (B) Prevalence Index = B/A = 1.609 Hydrophytic Vegetation Indicators: ✓ Dominance Test is > 50% ✓ Prevalence Index is ≤ 3.0	
1. 2. 3. 4. 5. 6. 7. 8. 9. 10. Hee 1. 2. 3. 4. 5. 6. 7. 8. 8. 9. 10.	Salix pulchra Vaccinium uliginosum Total Cover: 50% of Total Cover: Carex aquatilis Comarum palustre Calamagrostis canadensis	0 20% 65 5 0 0 0 0 0 0 0 0 0 35 25 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	✓ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	FACW FAC	OBL Species 60 x 1 = 60 FACW Species 65 x 2 = 130 FAC Species 8 x 3 = 24 FACU Species 0 x 4 = 0 UPL Species 0 x 5 = 0 Column Totals: 133 (A) 214 (B) Prevalence Index = B/A = 1.609 Hydrophytic Vegetation Indicators: ✓ Dominance Test is > 50% ✓ Prevalence Index is ≤ 3.0 Morphological Adaptations 1 (Provide supporting data in Remarks or on a separate sheet) Problematic Hydrophytic Vegetation 1 (Explain) 1 Indicators of hydric soil and wetland hydrology must be present, unless disturbed or problematic. Plot size (radius, or length x width) % Cover of Wetland Bryophytes (Where applicable) % Bare Ground	
1. 2. 3. 4. 5. 6. 7. 8. 9. 10. Hee 1. 2. 3. 4. 5. 6. 7. 8. 9. 9.	Salix pulchra Vaccinium uliginosum Total Cover: So% of Total Cover: Carex aquatilis Comarum palustre Calamagrostis canadensis	0 20% 65 5 0 0 0 0 0 0 0 0 0 35 25 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	✓ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □	FACW FAC	OBL Species 60 x1 = 60 FACW Species 65 x2 = 130 FAC Species 8 x3 = 24 FACU Species 0 x4 = 0 UPL Species 0 x5 = 0 Column Totals: 133 (A) 214 (B) Prevalence Index = B/A = 1.609 Hydrophytic Vegetation Indicators: ✓ Dominance Test is > 50% ✓ Prevalence Index is ≤ 3.0	
1. 2. 3. 4. 5. 6. 7. 8. 9. 10. Hee 1. 2. 3. 4. 5. 6. 7. 8. 9. 9.	Salix pulchra Vaccinium uliginosum Total Cover: Stratum Carex aquatilis Comarum palustre Calamagrostis canadensis	0 20% 65 5 0 0 0 0 0 0 0 0 35 20% 35 25 3 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	of Total Cover	FACW FAC	OBL Species 60 x1 = 60 FACW Species 65 x2 = 130 FAC Species 8 x3 = 24 FACU Species 0 x4 = 0 UPL Species 0 x5 = 0 Column Totals: 133 (A) 214 (B) Prevalence Index = B/A = 1.609 Hydrophytic Vegetation Indicators: ✓ Dominance Test is > 50% ✓ Prevalence Index is ≤3.0	

US Army Corps of Engineers Alaska Version 2.0

SOIL Sampling Point: SW13_T133_05 Profile Description: (Describe to the depth needed to document the indicator or confirm the absence of indicators) **Redox Features** Depth <u>Loc</u> 2 (inches) Color (moist) Color (moist) % Type ¹ ¹Type: C=Concentration. D=Depletion. RM=Reduced Matrix ² Location: PL=Pore Lining. RC=Root Channel. M=Matrix Indicators for Problematic Hydric Soils:³ **Hydric Soil Indicators:** Alaska Color Change (TA4) Alaska Gleyed Without Hue 5Y or Redder Histosol or Histel (A1) **Underlying Layer** Alaska Alpine swales (TA5) Histic Epipedon (A2) Alaska Redox With 2.5Y Hue **✓** Other (Explain in Remarks) Hydrogen Sulfide (A4) Thick Dark Surface (A12) ³ One indicator of hydrophytic vegetation, one primary indicator of wetland hydrology, Alaska Gleyed (A13) and an appropriate landscape position must be present Alaska Redox (A14) ⁴ Give details of color change in Remarks Alaska Gleyed Pores (A15) Restrictive Layer (if present): Yes ● No ○ Type: none observed **Hydric Soil Present?** Depth (inches): Remarks: assumed hydric soil, site innundated .

HTDRULUGT							
Wetland Hydrology Indica	ators:	Secondary Indicators (two or more are required)					
Primary Indicators (any one	is sufficient)	Water Stained Leaves (B9)					
✓ Surface Water (A1)		Inundation Visible on Aerial Image	ery (B7) Drainage Patterns (B10)				
High Water Table (A2)		Sparsely Vegetated Concave Surfa	ice (B8) Oxidized Rhizospheres along Living Roots (C3)				
☐ Saturation (A3)		Marl Deposits (B15)	Presence of Reduced Iron (C4)				
☐ Water Marks (B1)		Hydrogen Sulfide Odor (C1)	Salt Deposits (C5)				
Sediment Deposits (B2)		Dry-Season Water Table (C2)	✓ Stunted or Stressed Plants (D1)				
☐ Drift Deposits (B3)		Other (Explain in Remarks)	✓ Geomorphic Position (D2)				
Algal Mat or Crust (B4)			Shallow Aquitard (D3)				
☐ Iron Deposits (B5)			✓ Microtopographic Relief (D4)				
Surface Soil Cracks (B6))		FAC-neutral Test (D5)				
Field Observations:							
Surface Water Present?	Yes No	Depth (inches): 3					
Water Table Present?	Yes ○ No •	Depth (inches): 0	Wetland Hydrology Present? Yes ● No ○				
Saturation Present? (includes capillary fringe)	Yes O No •	Depth (inches): 0					
Describe Recorded Data (stre	eam gauge, monitor we	ell, aerial photos, previous inspection) if av	railable:				
Remarks:							
unnundsted pits trending to flowing channels throughout .							
İ							

U.S. Army Corps of Engineers Alaska Version 2.0